
Consequences to Protect Both Patients and Hospital Personnel from the COVID-19 Patients

- Tokushima University Hospital
- Infection Control Team
- Vice Director
- Dr. Momoyo Azuma

A FIRST WAVE OF COVID-19 INFECTIONS IN JAPAN



"There are no right answers anywhere in the world about the steps to take to be all right yet,"




Government will reimpose restrictions the number of patients increases dramatically again

The 3 steps to take to be all right

Health care system HOTEL


PCR testing system

Private company National inspection institution University hospital



What makes difficult to control COVID-19?

Hospital Admission






5% are critical infections, requiring **ventilation**.

15% are severe infection , requiring oxygen

Everyday life



- Cutting back human-to-human interaction
- Avoiding unnecessary outings

80% of infections are mild or asymptomatic

Confirmed cases

Not confirmed cases

To avoid Collapse the health care system

Specific warning prefectures

High risk area of spreading infection

Non-endemic area



Endemic areas



11 COVID-19 cases die...before being treated by a doctor or without even a diagnosis

Mild or asymptomatic patients













Not elderly and have No underlying health issues



Mild or asymptomatic patients



Empty floor



Avoid the "Three Cs"!

- 1. Closed spaces with poor ventilation.
- 2. Crowded places with many people nearby.
- **3. Close-contact settings** such as close-range conversations.








One of the key measures against COVID-19 is to prevent occurrence of clusters.

Keep these "Three Cs" from overlapping in daily life.




The risk of occurrence of clusters is particularly high when the "Three Cs" overlap!

In addition to the "Three Cs," **items used by multiple people** should be cleaned with disinfectant.









COVID-19 strategy: The Japan model





Citizens cut back human-to-human contact by 70 percent to **80 percent**

Must continue to stay home

Avoid nonessential travel

Japan barely has 800 deaths from COVID-19 infection Extremely high psychological pressure on ICU staffs

Italy
More than 30,000 people have died
Shortage of ventilators and beds

[life-related choices]

The same thing happens in Japan?

"We feel that the collapse of the emergency care system is already here," said the Japanese Association for Acute Medicine in a statement issued earlier this month.

Supplies of protective equipment — such as N95 masks and isolation gowns for medical workers — are running threateningly low


Consequences to Protect Both Patients and Hospital Personnel from the COVID-19 Patients



Avoid 3 Cs!

Must continue to stay home

Avoid nonessential travel





Avoid Hospital-acquired infections

Enough PPE / Infection control specialist team



Strengthening emergency medical capabilities is a very important area for preventing the collapse of medical care in the country.

Second wave of the novel coronavirus is "inevitable,"